NEW SHINE



www.newshinelighting.com

NEW SHINE

# CLOUD SERIES



Basic information / Advantage / Contact



www.newshinelighting.com

NEW SHINE

# CLOUD SERIES



## Special Features:

1. Ultra slim design, only 0.71" body;

2. Silicone lens provides uninterrupted 300 degree illumination with the perfect blend of good performance and visual comfort;

3. Regular and acoustic version, covering round and rectangle shapes, with or without pattern in the middle.



NEW SHINE

# CLOUD SERIES



www.newshinelighting.com


NEW SHINE



www.newshinelighting.com



NEW SHINE

# CLOUD SERIES

| Model No. | Picture | Installation | Material | Size (mm) | Size (inch) |
|---|---|---|---|---|---|
| LL0213AS-32W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | Silicon+Alu | D300*18 | D11.8*0.71 |
| LL0213AS-45W | | | | D400*18 | D15.7*0.71 |
| LL0213AS-60W | | | | D600*18 | D23.6*0.71 |
| LL0213AS-100W | | | | D900*18 | D35.4*0.71 |
| LL0213AS-135W | | | | D1200*18 | D47.2*0.71 |
| LL0213ASAC-32W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | Silicon+Alu +polyester fiber | D300*28 | D11.8*1.1 |
| LL0213ASAC-45W | | | | D400*28 | D15.7*1.1 |
| LL0213ASAC-60W | | | | D600*28 | D23.6*1.1 |
| LL0213ASAC-100W | | | | D900*28 | D35.4*1.1 |
| LL0213ASAC-135W | | | | D1200*28 | D47.2*1.1 |
| LL0213AM-32W |  | Surface Mounted | Silicon+Alu | D300*45 | D11.8*1.78 |
| LL0213AM-45W | | | | D400*45 | D15.7*1.78 |
| LL0213AM-60W | | | | D600*45 | D23.6*1.78 |
| LL0213AM-100W | | | | D900*45 | D35.4*1.78 |
| LL0213AM-135W | | | | D1200*45 | D47.2*1.78 |

| Model No. | Picture | Installation | Material | Size (mm) | Size (inch) |
|---|---|---|---|---|---|
| LL0213AMAC-32W |  | Surface Mounted | Silicon+Alu +polyester fiber | D300*55 | D11.8*2.16 |
| LL0213AMAC-45W | | | | D400*55 | D15.7*2.16 |
| LL0213AMAC-60W | | | | D600*55 | D23.6*2.16 |
| LL0213AMAC-100W | | | | D900*55 | D35.4*2.16 |
| LL0213AMAC-135W | | | | D1200*55 | D47.2*2.16 |
| LL0213BS-40W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | Silicon+Alu | D300*18 | D11.8*0.71 |
| LL0213BS-60W | | | | D400*18 | D15.7*0.71 |
| LL0213BS-80W | | | | D600*18 | D23.6*0.71 |
| LL0213BS-125W | | | | D900*18 | D35.4*0.71 |
| LL0213BS-160W | | | | D1200*18 | D47.2*0.71 |
| LL0213BM-40W |  | Surface Mounted | Silicon+Alu | D300*45 | D11.8*1.78 |
| LL0213BM-60W | | | | D400*45 | D15.7*1.78 |
| LL0213BM-80W | | | | D600*45 | D23.6*1.78 |
| LL0213BM-125W | | | | D900*45 | D35.4*1.78 |
| LL0213BM-160W | | | | D1200*45 | D47.2*1.78 |


NEW SHINE
www.newshinelighting.com

NEW SHINE

# CLOUD SERIES

| Model No. | Picture | Installation | Material | Size (mm) | Size (inch) |
|---|---|---|---|---|---|
| LL0214AS-40W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | Silicon+Alu | 300*300*18 | 11.8*11.8*0.71 |
| LL0214AS-50W | | | | 400*400*18 | 15.7*15.7*0.71 |
| LL0214AS-72W | | | | 500*500*18 | 19.7*19.7*0.71 |
| LL0214AS-100W | | | | 500*900*18 | 19.7*35.4*0.71 |
| LL0214AS-150W | | | | 1100*650*18 | 43.3*25.6*0.71 |
| LL0214ASAC-40W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | Silicon+Alu+polyester fiber | 300*300*28 | 11.8*11.8*1.1 |
| LL0214ASAC-50W | | | | 400*400*28 | 15.7*15.7*1.1 |
| LL0214ASAC-72W | | | | 500*500*28 | 19.7*19.7*1.1 |
| LL0214ASAC-100W | | | | 500*900*28 | 19.7*35.4*1.1 |
| LL0214ASAC-150W | | | | 1100*650*28 | 43.3*25.6*1.1 |
| LL0214AM-40W |  | Surface Mounted | Silicon+Alu | 300*300*45 | 11.8*11.8*1.78 |
| LL0214AM-50W | | | | 400*400*45 | 15.7*15.7*1.78 |
| LL0214AM-72W | | | | 500*500*45 | 19.7*19.7*1.78 |
| LL0214AM-100W | | | | 500*900*45 | 19.7*35.4*1.78 |
| LL0214AM-150W | | | | 1100*650*45 | 43.3*25.6*1.78 |

| Model No. | Picture | Installation | Material | Size (mm) | Size (inch) |
|---|---|---|---|---|---|
| LL0214AMAC-40W |  | Surface Mounted | Silicon+Alu+polyester fiber | 300*300*55 | 11.8*11.8*2.16 |
| LL0214AMAC-50W | | | | 400*400*55 | 15.7*15.7*2.16 |
| LL0214AMAC-72W | | | | 500*500*55 | 19.7*19.7*2.16 |
| LL0214AMAC-100W | | | | 500*900*55 | 19.7*35.4*2.16 |
| LL0214AMAC-150W | | | | 1100*650*55 | 43.3*25.6*2.16 |
| LL0214BS-50W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | Silicon+Alu | 300*300*18 | 11.8*11.8*0.71 |
| LL0214BS-60W | | | | 400*400*18 | 15.7*15.7*0.71 |
| LL0214BS-90W | | | | 500*500*18 | 19.7*19.7*0.71 |
| LL0214BS-125W | | | | 500*900*18 | 19.7*35.4*0.71 |
| LL0214BS-150W | | | | 1100*650*18 | 43.3*25.6*0.71 |
| LL0214BM-50W |  | Surface Mounted | Silicon+Alu | 300*300*45 | 11.8*11.8*1.78 |
| LL0214BM-60W | | | | 400*400*45 | 15.7*15.7*1.78 |
| LL0214BM-90W | | | | 500*500*45 | 19.7*19.7*1.78 |
| LL0214BM-125W | | | | 500*900*45 | 19.7*35.4*1.78 |
| LL0214BM-150W | | | | 1100*650*45 | 43.3*25.6*1.78 |


NEW SHINE
www.newshinelighting.com

NEW SHINE



# Application

Widely used in office, hotel, shopping mall, school, hospital, commercial interiors and other morden buildings.





**New Shine Lighting (Guangzhou) Co., Ltd**
**T:** 86-20-22863929
**E:** info@newshinelighting.com
**A:** Part 2, 2/F, Plant 1,195 Junyi Road, Junan town, Shunde district, Foshan, Guangdong, China 528329
**W:** www.newshinelighting.com